

Product Description

Abri-Flex is our premium range of modern pull-ups that can be worn like normal underwear for moderate to heavy incontinence. The discreet pull-up pants are made from breathable and super soft material to maintain healthy skin. The waist band offers a secure and comfortable fit for the active use. The products feature the Top-Dry system for optimum comfort and skin integrity. The efficient core technology provides rapid absoprtion. A combination of leakage barriers (lengthwise and cross barriers) and elastics offer ultimate leakage protection 360 degrees around the product. The odor system minimises unpleasant smells. The wetness indicator with graduation scale (except size XS1) guides the user and carer to the product with the right absorption level. For discreet disposal roll up the product and secure it with the built-in z-tape at the back.



Specifications

ase name	Pull-up
rand	Abena
ub-brand	Abri-Flex
ize	M1
olor	White
eatures	Blue colourcode
laterial	SAP, ECF fluff, nonwoven, PP, elastane, breathbale textile backsheet (BTBS), PE, resin
ength/depth	820 mm
lip size	80-110 cm
olerance	+/- 10%
bsorption Rothwell	1400 ml
iender	Unisex
evel of incontinence	Severe
Quality level	Premium
ertifications	CE, Dermatologically tested, FSC Mix
E Class (Medical Devices)	Class I
roduct or test standards	ISO 9001, ISO 14001, ISO 11948-1
irectives, regulations and acts	93/42/EEC
afety Instructions and Warnings	Keep out of reach of children.
helf Life	5 years
torage Instructions	Store dry, room temperature and no direct sunlight.
roduct Disposal Instructions	Dispose with household waste.



Packaging Disposal Instructions

Can be recycled or incinerated.

Instructions for use/application

Pull-up pants for moderate to heavy incontinence, which can be worn as normal underwear. Put on the pants as you would underpants, without touching the inside surface of the pad. After use and when changing, tear open the sides. When both sides of the pants are torn open, roll it up and secure it with the built-in z-tape, and throw it out. Product size recognition using color codes, names, and numbering system.

Packaging data

Unit	Contains	Length	Width	Height	EAN
cll	84 pcs	0.706 m	0.301 m	0.357 m	
pck	14 pcs	0 m	0 m	0 m	
pcs					

FSC MIX FSC^{*} C111061 FSC™ (Forest Stewardship Council) is an international non-governmental organization dedicated to the promotion of responsible forest management worldwide. FSC™-certified products are made from raw materials from well-managed forests and responsible sources. The label's traceability and integrity are upheld through stringent control measures, and by choosing FSC™-certified products, you help take care of forests and the people and wildlife that call them home. FSC™ Mix means the product consists of a blend of FSC certified wood and recycled materials. For more information, go to www.fsc.org.



The Dermatologically Tested symbol guarantees that products have been tested for potential skin irritations by an independent third-party laboratory.

CE

The CE mark guarantees that a product is safe to use and complies with all safety precautions. CE stands for Conformité Européenne (European Conformity) and is mainly found on electronic equipment, safety equipment, construction products and medical equipment.



Wetness indicator is a liquidsensitive strip that changes color or fades out indicating when it is time to change the product.



The product does not contain latex.



Unique Top-Dry system that provides a rapid absorption and a dry surface even after repeated urination.



Drop system indicating absorption. The more drops, the higher the absorption. Ranges from 1 to 9 drops.



Abena's incontinence products are designed and engineered to ensure minimal odor arises from the product. Odor control is a critical factor in ensuring discreteness for the user.

The product is equipped with barriers to prevent leakage.

The product is fully breathable making it more comfortable for a longer period of time, maintaining skin integrity.

I 21.11.2020 Item number 41083







